

Advances in Earth and Environmental Science

Maintaining of Biosphere Cycles of Matter and Energy by Ecological Economical Life Activity

Evgeny Bryndin

Evgeniy Bryndin - Research Centre NATURE INFORMATICA,
Novosibirsk, Russia

*Corresponding author

Evgeniy Bryndin,
Evgeniy Bryndin - Research Centre NATURE
INFORMATICA,
Novosibirsk, Russia.

Submitted : 24 Jan 2024 ; Published : 26 Feb 2024

Citation: Bryndin E, (2024). Maintaining of Biosphere Cycles of Matter and Energy by Ecological Economical Life Activity. Adv Earth & Env Sci; 5(1):1-5. DOI : DOI : <https://doi.org/10.47485/2766-2624.1037>

Abstract

The universe exists according to the law of natural balance. When the balance is disturbed locally, then the corresponding energy is activated and launches the natural technology for restoring the disturbed stability. Interdisciplinary research provides a more holistic view of the Universe. Relevant research at the current time is the construction of theory, identification and use of natural technologies. In the biosphere, as in each ecosystem subordinate to it, producers, consumers, detritophages and reducers interact with each other and with the environment. During this interaction, living organisms create a certain flow of substances and energy from some components of the system to others, which ensures the integrity and sustainable maintenance of life of the biosphere as a global ecosystem. That is, from various chemical elements and their compounds that support the life of individual species, a common (global) cycle of substances and energy is formed in the biosphere. Maintaining and preserving the cycle of substances and energy in the biosphere is prerequisite for preserving life of humanity. The strong influence of human activity on the cycles of the biosphere requires the formation of an ecological economy and industry.

Keywords: cycle matter and energy in biosphere, ecological economy and industry

Introduction

The mass of living matter is called biomass. It is expressed in units of mass of dry or raw matter relative to units of area or volume of any place of residence of organisms. The total mass of biosphere living matter in dry form is approximately $4 \times 1,018$ g, which is a billion times less than the mass of the Earth, equal to 5.98×10^{27} g. The total amount of biomass generated during a particular period, characterizing biology productivity. It has been established that floodplain thickenings of living matter have the highest productivity: with an area of less than 1%, they produce about 10% of living land matter, Photosynthetic living organisms make up 99% of the total mass of living matter. The mass of living matter of the ocean is less than 0.2%, of the biomass of land. But the productivity of the ocean, that is, the production of biomass per unit time and per unit area, is approximately equal to the productivity of plant biomass.

Living matter, unlike oblique matter, has this property: all chemical reactions in it occur and are sorted under less stringent conditions than in the production of substances by purely chemical methods. Thus, fats and carbohydrates are oxidized in the body at a temperature of about 37°C , and outside it at 400°C .

In industrial conditions, a temperature of 500°C and a high pressure are required to obtain ammonia from nitrogen and hydrogen molecules, and in the body of microorganisms this reaction occurs at ordinary temperatures and atmospheric pressure. Continuously breeding, living organisms form a stream of generations: new creatures appear to replace the dead. Thus, modern living matter by origin is associated with living matter of past geological eras. The cycle of living matter is carried out and a great chemical diversity accumulates.

Large and small cycle of substances and energy

The cycle of substances turns out to be in the multiple participation of substances in processes that occur in the atmosphere, hydrosphere, lithosphere, in particular, in the context of their layers that make up the biosphere. There are two main cycles of substances: large (geological) and small (biological, or biotic), which cover the entire planet.

The geological (large) cycle is the exchange of substances between land and the oceans. First of all, there is a global circulation of water, that is, first precipitation, then surface and underground runoff, infiltration, evaporation and, in the

end, condensation; then precipitation falls again. Almost a third of all solar energy supplied to the Earth is spent on the water cycle. Together with water, huge masses of chemicals dissolved in it move, which in the ocean settle to the bottom in the form of deluvial deposits or sediment. Water is the main element necessary for life. Quantitatively, this is the most common inorganic component of living matter. For example, in humans, water occupies 70% of body weight, in fungi - 80%, in some types of jellyfish - 98%. The hydrosphere covers about 75% of the world's surface (363 million km²). It is assumed that the total evaporation is balanced by precipitation. More water evaporates from the ocean than falls into it with precipitation; on land, on the contrary, less. So-called excess land precipitation enters glaciers, replenishes groundwater and eventually ends up in lakes and rivers, returning gradually with runoff to the ocean. Thus, the cycle of water between the ocean and land is a prerequisite for the metabolism between organic and inorganic nature.

Particular attention should therefore be paid to two main aspects of water cycle. Firstly, the sea loses more water due to evaporation than it receives with precipitation; on land, the situation is opposite. That is, a significant part of the precipitation that supports terrestrial ecosystems consists of water evaporating from the sea. Secondly, the difference between the amount of precipitation per year and annual runoff is 1011 tons. This is the amount of annual water supply to underground aquifers. In our time, as a result of human activity, runoff is increasing, so the replenishment of a very important groundwater fund is decreasing.

Air exchange between all latitudes and both hemispheres of the Earth occurs on average in two years. Ocean water is actively moving in currents, there are no zones in the ocean where it has been stagnant for a long time. All fresh land water flows into the ocean in 14 days, in glaciers the water is updated in 15 thousand years.

The large cycle of substances is not closed: a certain amount of substances is removed from the cycle and preserved in sedimentary rocks in the form of limestones, peat, oil and other rocks and minerals. This ensures the progressive development of the earth's crust and biosphere. According to the concept of a large cycle of substances and energy in the biosphere, erupted deep rocks of mantle origin (for example, basalts) are excreted from the Earth's bowels in the biosphere by tectonic processes. Under the influence of solar energy and living matter, they are weathered, transported, again deposited, while turning into a variety of sedimentary rocks. Solar energy is concentrated and stored in sedimentary rocks (for example, clays form from erupted minerals, and volcanic gases turn into coal, oil).

Due to tectonic movements, sedimentary rocks fall into the zones of high pressures and temperatures of the Earth, where solar energy is released from them, metamorphosis and remelting occur, which leads to the formation of granite rocks. Crystallized eruptive rocks again fall into the biosphere due to ascending tectonic movements. Thus, the cycle ends,

but already at a new level, because eruptive rocks of granite composition were formed from the original basalts. So, a large cycle of substances and energy in the biosphere can also be defined as the evolution of the earth's crust from the oceanic type (basalt) to the mainland type (granite).

The biosphere as a whole, as well as the earth's crust, is characterized by rhythmicity and cyclical development, manifested in everything: in the processes of magma, sedimentation, climate change, etc. Rhythmic complex development is characterized to nature. The established rhythms and cycles of different durations: from 11 years, due to solar activity, to megacycles of 180-240 million years, coincides with the Galactic year, that is, the time of the Earth's revolution along with the solar system around the center of the Galaxy. At the same time, there is not just a repetition of processes, but their progressive development.

A small, or biological, cycle of substances is the exchange of chemical elements between living organisms and non-living (oblique) components of the biosphere - the atmosphere, hydrosphere and lithosphere. In other words, these are two sides of the same process - the formation of living matter and its schedule. This cycle is characterized by the fact that first living matter is charged with energy, and then, during the decomposition of organic residues, energy is returned to the environment. Biological cycling is the circulation of substances between soils, plants, animals and microorganisms (Figure 4.2). This circulation takes place in such a sequence: first, mineral substances and energy are absorbed from the environment and included in the composition of plant organisms, then from plants through trophic chains they pass to the organisms of animals and other consulates and then through the link of reducers they return back to the soil or atmosphere.

The biological cycle of substances and energy is characteristic of ecosystems of any level of organization - from a separate complex of living organisms to the biosphere as a whole. Organisms attract the atoms of biogenic substances from the oblique part of the biosphere and include them in their body, where the absorbed substances enter into a variety of biochemical reactions, and then are released into the external environment in the form of life products or dead bodies. The life on Earth thus organized has existed for billions of years.

Geological and biological circles are closely interconnected, interact with each other, sometimes merging together. Structurally and functionally, they differ significantly. The biological cycle has such characteristics compared to the geological one:

- its action takes place, as a rule, within the biogeocenosis, while the geological takes place on large territories - the continents and adjacent parts of the ocean;
- The main cause and driving force of the biological cycle is the different nature of the nutrition of producers, consulates and reducers, and the geological one is the cycle of water between the ocean and land; only biogenic elements participate in a small cycle, while in a large cycle

-
- all chemical elements that are in the earth's crust;
- the duration of cycles of chemical elements in the biological cycle is short-term (year, several years, tens and hundreds of years), and the cycle duration in the geological cycle is tens or even hundreds of thousands of years.

Both cycles of substances - biological and geological - move thanks to the energy of the Sun and the force of gravity. The biological cycle is fast and open: the initial and final link are closed through available inorganic substances. The geological cycle is slow and closed. Part of the substances from the biological cycle enters the geological one in the form of a dead rod, forming sedimentary rocks, which over time, under the influence of pressure, temperature and other factors, are transformed into granites. Tectonic elevations cause some granite rocks to be brought to the surface. Granites are weathered, and, as a result, a fund of available substances is formed, which are later again involved in the biological cycle.

The processes of cycling of substances in the biosphere are carried out in a balanced manner. The vast majority of substances involved in the biological cycle return to the mineral state and become available for reuse by the living substance. Only a small part of them are deposited in sedimentary rocks, but these losses are compensated by substances that are released from rocks as a result of weathering processes.

The balance and consistency of biological and geological biosphere cycles is achieved by living matter, that is, by the formation of new species in the event of the emergence of new resources or new environmental conditions, as well as by the formation of numerous direct and backward links between different organisms and environmental factors. Usually, the acceleration of weathering of rocks leads to an increase in the amount of nutrients, which, in turn, stimulates an increase in the amount of living matter and increases the intensity of the processes of transferring substances to the world's oceans. Bottom sediments accumulate more intensively there, and the amount of available substances begins to rapidly decrease in the biosphere. The biosphere is moving to the so-called "hungry" regime, accompanied by mass extinction of species and increased competition for resources. At the same time, the processes of formation of new, more competitive and "economical" types are accelerating. However, extinction occurs much faster than speciation. For example, as a result of the catastrophic extinction of many species of flora and fauna in the Paleozoic and early Mesozoic, there was an extremely rapid accumulation of sedimentary rocks during the Carboniferous and Cretaceous periods.

Ecological aspect of biological and geological cycling

Discussions by scientists about the reasons for the imbalance between biological and geological circles are still ongoing, but the catastrophic consequences are obvious. Today, the situation is similar, but, unlike previous eras, the main reason for the violation of the cycle of substances in the biosphere is human activity - the so-called anthropogenic factor.

Firstly, the artificial acceleration of weathering processes of sedimentary and granite rocks associated with the extraction and processing of minerals, the burning of coal, oil, peat, and natural gas is quite strong. As a result, the content of carbon dioxide and sulfur oxides in the atmosphere increases. Due to acid rain, the pH of the soil decreases, which leads to the transition of many elements to a dissolved state. Some of them in high concentrations are toxic and dangerous to all living things (for example, heavy metals - copper, zinc, lead). This leads to a slowdown in the rotation of substances in the biological cycle, since carriers of living matter die. And the more elements go into solution, the more they are washed out into the oceans, actively enriched with biogenic elements. As a result, outbreaks of "flowering" of the ocean by microscopic algae are increasing, which often suppress the development of consulates that consume them (compared to past centuries, the frequency of outbreaks of "flowering" in the oceans has increased by 50-130 times). All this accelerates the processes of extracting available nutrients from the biosphere but their "preservation" in bottom sediments.

Secondly, a person in the course of his economic activity creates numerous substances (for example, plastics), which in the future cannot be used either by producers or decomposed into available mineral substances by reducers. These substances form a special group of anthropogenic "sedimentary" rocks - the waste of civilization, which archaeologists called the "cultural layer." These wastes will eventually be transformed in the lithosphere into granites and then, in the process of weathering, will again become available to living matter, but this will happen only in millions of years. Therefore, now there is a real threat that the available resources of the biosphere can be recycled to waste faster than the cycle of the geological cycle ends. What will happen to the biosphere (including humans) is easy to predict.

In order for the biosphere to exist and the processes that occur in it to continue, the cycles of biologically important, that is, biogenic, substances must constantly function. Biogenic are elements that are necessarily included in living organisms: C, H, O, N, P, S, K, Ca, Mg, Fe, Cu, Mn, Zn, Mo, Cl, Br, I; the main ones are the first six - carbon, hydrogen, oxygen, nitrogen, phosphorus and sulfur. The continuous cycle of biogens is the main condition for the existence of life and the entire biosphere. The cycle of myogens - this mutual exchange of chemical elements of the components of the ecosystem is a structural whole. The main reason for disrupting the cycle is the constant discrepancy between the needs of organisms and the presence of available nutrients, which leads to disruption of the cycle of biogens.

Let's clean up and preserve the living spaces of the earth, seas and oceans

Pollution of the living spaces of the earth, seas and oceans with garbage, waste, landfills, and toxic substances is the cause of environmental disasters of modern civilization.

Humanity is more concerned about its own survival, and does not care about the survival of the lower representatives of nature. Human activity caused the death of ocean species in Kamchatka. The oceans are choking on microplastics.

Man is called to rule over the representatives of Nature, to honor them in his ways (Genesis 1:20). The creation of nature and man contains a good foundation of harmony (GOD). Man is created in the image and likeness of the Creator. A person can properly honor Nature by spiritual activity according to conscience and reasoning in accordance with the New Testament, in which the God-man Jesus Christ calls upon all peoples to learn the spiritual basis of life activity (Bryndin, 2021) Otherwise, humanity will face wars, pestilences, diseases and disasters.

On a global scale, nature has already begun to defend itself with disasters from the activities of modern civilization. The time has come to cleanse living spaces and switch to harmonious synergetic life activity with Nature on a spiritual basis.

For this, ecotheocracy plus ecotechnocracy must become the international basis of the state structure of modern humanity and all peoples. When each person carries out life activities on a spiritual basis, according to conscience and reasoning according to the laws of nature, preserving the living spaces of the earth and ocean, humanity will help nature preserve the ecological cycles of matter and energy.

The preservation of ecological cycles of matter and energy in the Biosphere is facilitated by the ecological life of humanity, especially in the sphere of development of living spaces and industrial production. What is now required is a transition to environmentally balanced activities of enterprises using clean production technologies without causing environmental damage to the environment. Clean production process technologies neutralize harmful waste. The transition to an ecological economy with an energy equivalent and an ecological balance in the activities of industrial enterprises will contribute to the preservation of the environment, climate balance, preservation of the circulation of nutrients and ecological cycles of matter and energy in the Biosphere (Evgeny, 2021; Evgeny, 2021; Akimova & Haskin, 2021; Bryndin, 2022; Evgeny, 2022; Evgeny, 2023; Kevin, 2023; Hongxia et al., 2023; Elina et al., 2023; Evgeny, 2023; Nefiodov, 2020; Kokoreva et al., 2023; Eremeeva et al., 2023; Evgeny, 2023).

Conclusion

The cycle of matter and energy is an important process in the biosphere, which ensures the maintenance of life on Earth. It involves the transfer of matter and energy between various components of the biosphere, such as the atmosphere, hydrosphere, lithosphere and biota. The circulation of substances and energy maintains balance in natural systems and ensures the life processes of organisms. However, human activity can disrupt this cycle, leading to negative consequences for the environment. Therefore, it is important to be aware of your responsibility and take measures to preserve and restore the circulation of substances and energy in the biosphere.

The conservation of environmental cycles of matter and energy in the Biosphere is facilitated by the ecological life of mankind, especially in the field of the development of living spaces and industrial production. Now it is necessary to switch to environmentally balanced activities of enterprises with clean production technologies without causing environmental damage to the environment. Clean process technologies neutralize harmful waste. Transition to an environmental economy with an energy equivalent and the ecological balance of industrial enterprises will contribute to the preservation of the environment, climate balance, the preservation of the cycle of biogens and the ecological cycle of matter and energy in the Biosphere.

References

1. Bryndin, E. (2021). Synergistic Formation of Harmonious Socio and Uniform Economic Order. *International Journal of Science, Technology and Society*, 9(1), 14-20. DOI: <http://dx.doi.org/10.11648/j.ijsts.20211001.12>
2. Bryndin, E. (2021). Transition to International Energy Economic Equivalent of Future Economy. *International Journal of Economy, Energy and Environment*, 9(1), 86-91. DOI: <https://dx.doi.org/10.11648/j.ijeee>
3. Bryndin, E. (2021). Formation of Digital Economy of Necessary Needs Based on Energy Economic Equivalent. *Resources and Environmental Economics*, 3(2), 297-304. DOI: <https://doi.org/10.25082/REE.2021.02.005>
4. Akimova, T., & Haskin, V. (2021). Ecology. Man - Economics – Biota. (3rd ed.). Moscow: UNITY-DANA, 495.
5. Bryndin, E. G. (2022). Social environmental platform economy with energy equivalent. Monograph, Moscow, RUSINES, 192
6. Bryndin, E. (2022). Ecological Management and Waste Recycling as an Environmental Quality Factor. *Advance in Environmental Waste Management & Recycling*, 5(2), 138-141. Retrieved from: <https://www.opastpublishers.com/open-access-articles/ecological-management-and-waste-recycling-as-an-environmental-quality-factor.pdf>
7. Bryndin, E. (2023). Preservation of Natural and Spiritual Balance - Criterion of Humanity Survival. *Journal of Research in Social Science and Humanities*, 2(9), 7-11. Retrieved from: <https://www.pioneerpublisher.com/jrssh/article/view/430>
8. Walsh, k., & Nelles, J., Stephen., S. (2023). Recycling in entrepreneurial ecosystems: the phenomenon of boomeranging. *R&D Management* 53(2), DOI: <http://dx.doi.org/10.1111/radm.12572>
9. Yue, H., Liu, J., Qi, y., & Xie, Y. (2023). Geographical displacement of arable land use for Yellow River regions via regional economic integration. *Energy, ecology and environment*, 8(2), 178-193. Retrieved from: <https://ui.adsabs.harvard.edu/abs/2023EEE.....8..178Y/abstract>
10. Dodo, U. A., Ashigwuike, E. C. (2023). Carlos Eduardo de Farias Silva, Francine Pimentel de Andrade. Techno-economic and environmental analysis of utility-scale hybrid renewable energy system integrating waste-to-

-
- energy plant to complement an unreliable grid operation. *Energy, ecology and environment*, 8, 439–456. Retrieved from: <https://link.springer.com/article/10.1007/s40974-023-00276-7>
11. Bryndin, E. (2023). Formation and Development of Scientific Knowledge and Research to the Use of Natural Technologies. *Journal of Advanced Research in Education*, 2(4), 1-5. Retrieved from: <https://www.pioneerpublisher.com/jare/article/view/323>
 12. Nefiodov, A. V. (2020). Universal patterns of matter and energy fluxes in land and ocean ecosystems. *Preprint License CC BY-NC-ND 4.0*, DOI: <https://doi.org/10.1101/2020.04.13.039156>
 13. Kokoreva, J., Khasanov, S., Maidyrova, A., & Ignateva, S. (Eds.). (2023). Proceedings EBWFF - International Scientific Conference Ecological and Biological Well-Being of Flora and Fauna. Retrieved from <https://www.e3s-conferences.org/articles/e3sconf/abs/2023/57/contents/contents.html>
 14. Eremeeva, N. A., Savoskina, O. A., Poddymkina, L. M. (2023). Analysis of anthropogenic impact on the environment, measures to reduce it, and waste management. *Front. Bioeng. Biotechnol*, 11, DOI: <https://doi.org/10.3389/fbioe.2023.1114422>
 15. Bryndin, E. (2023). International Functional Economic Accounting and Calculation of Energy by Equivalent on the BRICS+ Platform. *Journal of World Economy*, 2(3), 13-17. Retrieved from: <https://www.pioneerpublisher.com/jwe/citationstylelanguage/get/associacao-brasileira-de-normas-tecnicas?submissionId=391&publicationId=391>.

Copyright: ©2024 Evgeny Bryndin. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.