

Journal of Psychology and Neuroscience

Bridging Ancient Wisdom and Modern Science: Fetal Experience, Epigenetic Trauma, and Healing

Julian Ungar-Sargon MD PhD

*Borra College of Health Sciences, Dominican University IL,
USA.*

*Corresponding Author

Julian Ungar-Sargon MD PhD,
Borra College of Health Sciences,
Dominican University IL,
USA.

Submitted : 26 Apr 2025 ; **Published :** 16 May 2025

Citation: Ungar-Sargon, J. (2025). Bridging Ancient Wisdom and Modern Science: Fetal Experience, Epigenetic Trauma, and Healing. *J Psychol Neurosci*; 7(2):1-9. DOI : <https://doi.org/10.47485/2693-2490.1110>



Abstract

This paper explores the remarkable convergence between ancient Talmudic teachings on fetal development and contemporary scientific research on epigenetic trauma and healing. The Talmudic account in Niddah 30b, which describes fetuses learning Torah in the womb before forgetting at birth, presents a relational model of knowledge transmission that resonates with modern neuroscientific discoveries about fetal hearing development and prenatal learning. Recent epigenetic research demonstrates how traumatic experiences can alter gene expression without changing DNA sequences, potentially transmitting trauma effects across generations. These epigenetic mechanisms help explain how early experiences—including prenatal ones—shape physiological responses to pain and illness throughout life. The paper examines evidence-based approaches for healing epigenetic trauma, including mindfulness practices, somatic therapies, and specialized interventions like EMDR and neurofeedback. By integrating ancient wisdom with modern science, this framework offers physician-healers a comprehensive approach to treating patients that addresses both presenting symptoms and their deeper roots in experiences that may have occurred before conscious memory formation, transforming clinical encounters into sacred spaces where genuine healing can emerge.

Keywords: Fetal development, epigenetic trauma, Talmudic wisdom, prenatal learning, intergenerational trauma, DNA methylation, trauma healing, mindfulness, somatic therapy, physician-healer, embodied knowledge, hypothalamic-pituitary-adrenal axis, fetal programming, developmental neuroscience, trauma-informed care.



Introduction

For millennia, religious and philosophical traditions have contemplated what occurs during the mysterious months of human gestation. The Talmud, the central text of Rabbinic Judaism, contains a particularly fascinating account of fetal development that has intrigued scholars for generations (Steinsaltz, 2019). As modern science advances our understanding of fetal development, particularly regarding hearing and sensory perception, we find ourselves at a unique intersection where ancient wisdom, contemporary research, and clinical practice can engage in meaningful dialogue.

Torah Study in the Womb

The concept of pre-birth Torah learning serves multiple purposes in Jewish thought: it explains how humans can access divine wisdom despite their inherent limitations, provides a foundation for ethical development, and establishes a spiritual continuity that transcends physical birth.

The Talmud in Niddah 30b offers a remarkable account of fetal development and prenatal experience that goes far beyond physical description to encompass spiritual and metaphysical dimensions (Steinsaltz, 2019). According to this account, the womb represents a state of supreme bliss for the fetus, who is taught the entire Torah by divine instruction. This knowledge is forgotten at birth when an angel causes the child to forget, and before birth, the soul takes an oath to live righteously.

And there are no days when a person is in a more blissful state than those days when he is a fetus in his mother's womb, as it is stated in the previous verse: "If only I were as in the months of old, as in the days when God watched over me" (Job 29:2). And the proof that this verse is referring to gestation is as follows: Which are the days that have months but do not have years? You must say that these are the months of gestation. And a fetus is taught the entire Torah while in the womb, as it is stated: "And He taught me and said to me: Let your heart hold fast My words; keep My commandments, and live" (Proverbs 4:4). And it also states: "As I was in the days of my youth, when the converse of God was upon my tent" (Job 29:4).

The Gemara asks: What is the purpose of the statement: And it also states: "When the converse of God was upon my tent"? Why is it necessary to cite this verse in addition to the previously quoted verse from Proverbs? The Gemara explains: And if you would say that the verse in Proverbs is insufficient, as it is a prophet who is saying that he was taught the entire Torah in his mother's womb, but this does not apply to ordinary people, come and hear the verse in Job: "When the converse of God was upon my tent."

And once the *fetus emerges into the airspace of the world, an angel comes and slaps it on its mouth, causing it to forget the entire Torah*, as it is stated: “Sin crouches at the entrance” (Genesis 4:7), i.e., when a person enters the world he is immediately liable to sin due to his loss of Torah knowledge. And a fetus does not leave the womb until the angels administer an oath to it, as it is stated: “That to Me every knee shall bow, every tongue shall swear” (Isaiah 45:23). The verse is interpreted as follows: “That to Me every knee shall bow”; this is referring to the day of one’s death, as it is stated: “*All those who go down to the dust shall kneel before Him*” (Psalms 22:30). “Every tongue shall swear”; this is referring to the day of one’s birth, as it is stated in description of a righteous person: “*He who has clean hands, and a pure heart, who has not taken My name in vain, and has not sworn deceitfully*” (Psalms 24:4), i.e., he has kept the oath that he took before he was born. And what is the oath that the angels administer to the fetus? Be righteous and do not be wicked.

Talmud Niddah 30b

The concept also reflects a profound idea about knowledge and learning - that true wisdom may be more about recovering what we’ve forgotten than discovering something entirely new.



Many scholars have noted the apparent similarity between this Talmudic teaching and Plato’s doctrine of anamnesis - the theory that all learning is a form of recollection of knowledge the soul possessed before birth (Socher, 2015). However, beneath these superficial similarities lie profound differences that reveal distinct worldviews. Unlike Plato’s view of the soul gaining knowledge in a purely spiritual realm, Rabbi Simlai’s account is explicitly embodied, with the fetus described in vivid physical terms - “folded like writing tablets... hands on temples... elbows on knees” (Socher, 2015). This corporeality stands in stark contrast to Plato’s insistence that “if we are ever to have pure knowledge, we must escape from the body.”

Even more significantly, in direct contrast to worldly wisdom, knowledge of Torah is not merely known or recalled but taught and learned (Socher, 2015). This distinction is crucial. For Plato, knowledge already exists within the soul eternally - it simply needs to be recalled through philosophical inquiry. But in the rabbinic conception, Torah knowledge is actively taught to the fetus by external teachers, establishing a relational model

of knowledge transmission that fundamentally differs from Platonic solipsism.

Scientific Understanding of Fetal Awareness

Modern research on fetal development offers fascinating parallels to these ancient discussions about prenatal experience. The Royal College of Obstetricians and Gynecologists (RCOG) has conducted extensive reviews of fetal awareness research, with their most recent update in December 2022 providing important insights (Royal College of Obstetricians and Gynaecologists [RCOG], 2022).

The RCOG review emphasizes that pain perception requires “a comprehensive network of neural connections in the brain rather than the presence or absence of a specific region or set of connections” (Royal College of Obstetricians and Gynaecologists [RCOG], 2022). This aligns with the understanding that consciousness and perception are complex, interconnected phenomena rather than simple physical attributes.

According to the RCOG findings, advances in neuroimaging have revealed that fetal brain resting state networks “consist largely of local patterns of connectivity from approximately 28 weeks of gestation, with long range functional connectivity emerging and gradually increasing after 30 weeks of gestation” (Royal College of Obstetricians and Gynaecologists [RCOG], 2022). This suggests that the neural foundations for complex consciousness begin to form in the third trimester.

Most significantly for our discussion of fetal experience, the RCOG reports that “a measurable difference between the facial responses to a noxious and an innocuous stimulation is first seen from approximately 33 weeks of gestation. At the same stage, brain activity distinguishes between the two types of stimulation” (Royal College of Obstetricians and Gynaecologists [RCOG], 2022). This indicates that fetuses develop increasingly sophisticated responses to external stimuli as they approach full term.



Fetal Hearing Development

Beyond consciousness and pain perception, modern science has made remarkable discoveries about fetal auditory development specifically:

The development of hearing begins remarkably early in pregnancy. By the second month, an embryo starts developing ears as tiny folds of skin. By about 18 weeks of gestation, the little one can hear their very first sounds, though the hearing system is still developing (Barrell, 2019).

Research indicates that the onset of fetal hearing occurs at about 23 weeks of gestation and the auditory system becomes complete at around 31 weeks (Timmons, 2018). By this stage, the brain is designating specific areas that will govern sensory functions including hearing.

By 24 weeks, the ears are developing rapidly, and babies have been shown to turn their heads in response to voices and noise in the last few months of pregnancy (Graven & Browne, 2008). Research indicates that an unborn baby can recognize its mother's voice, native language, word patterns, and rhymes by the third trimester (Moon et al., 2013).

These findings align with the RCOG's observation that "distinct reflex responses to innocuous sensory stimuli, such as auditory events, can be measured at 28 weeks of gestation, as spontaneous movements decline" (Royal College of Obstetricians and Gynaecologists [RCOG], 2022). Together, these scientific insights confirm that fetuses begin to hear and respond to sounds during the second trimester, with increasingly sophisticated responses developing during the third trimester.

Long-Term Effects of Prenatal Sound Exposure

Just as the Talmud and mystical texts suggest that prenatal experiences have lasting impacts, modern research reveals the profound effects of prenatal sound exposure:


A significant study demonstrated that prenatal exposure to music can have long-term plastic effects on the developing brain and enhance neural responsiveness to sounds used in prenatal training (Partanen et al., 2013). These plastic changes are long-lasting, as the effect of prenatal exposure persisted for at least four months without any additional stimulation.

Evidence suggests that fetuses can respond to maternal voice and different types of music, both vocal and instrumental (Lamont, 2003). The ability to receive, transmit, recognize, and retain some memory of auditory stimuli may be one of the most important developmental sensory milestones.

The retention of the effects of prenatal sound exposure suggests that fetal neurodevelopment may be positively influenced and enhanced (Trafton, 2022). The repetition of stimuli shortens the time of fetal habituation, indicating that memory formation might happen gradually during prenatal development.

Recent MIT-led research suggests that the "degraded sensory input" (limited to low-frequency sounds) that fetuses receive in the womb may actually be beneficial and perhaps necessary for proper auditory development (Chang & Merzenich, 2003) - a finding that resonates with the Talmudic view of the womb as a place of special learning conditions.

The field of epigenetics provides a crucial bridge between ancient wisdom about prenatal development and modern scientific understanding. Epigenetic trauma refers to changes in gene expression that occur as a result of traumatic experiences, without alterations to the underlying DNA sequence itself (Klengel & Binder, 2015). Recent epigenetic research reveals how early life experiences, including prenatal ones, can fundamentally alter gene expression without changing DNA sequences (Yehuda & Lehrner, 2018). This helps explain the intergenerational transmission of trauma effects through epigenetic mechanisms.



Simplified outline of the main pathways and brainstem nerve centers possibly involved in the facial and mouth-tongue responses induced by fetal intravaginal music stimulation. The music would activate the ascending auditory pathway and the motor response could be mediated by circuits related with vocalization. The PAG would work as a center to integrate the auditory signals, acting as an effector center of the social behavior network. AHT: anterior hypothalamus; Amb: nucleus ambiguus; BNST-meAMY: bed nucleus of the stria terminalis-medial amygdala; Co: cochlea; CoN: cochlear nuclei; IC: inferior colliculus; IX: glossopharyngeal nerve; LL: lateral lemniscus; LS: lateral septum; mVN: motor trigeminal nucleus; PAG: periaqueductal gray; POA: preoptic area; rAmb: nucleus retroambiguus; SC: superior colliculus; SoC: superior olivary complex; V: trigeminal nerve; VC: vocalization center of the pontine reticular formation; VII: facial nerve; VIIN: facial nucleus; VIII: vestibulocochlear nerve; VMHT: ventromedial hypothalamus; X: vagus nerve; XI: accessory nerve; XII: hypoglossal nerve; XIIIN: hypoglossal nucleus

Figure 1: Fetal facial expression in response to intravaginal music emission Marisa López-Teijón, Álex García-Faura, Alberto Prats-Galino

Mechanisms of Epigenetic Changes

Current research has identified several key epigenetic mechanisms related to trauma:

DNA Methylation: One of the primary epigenetic mechanisms, where methyl groups attach to DNA molecules and affect gene expression (Zannas et al., 2015). Studies have shown that traumatic experiences can alter DNA methylation patterns in various genes, particularly those involved in stress response.

Histone Modifications: Histones are proteins around which DNA wraps, and modifications to these proteins can influence gene activity and expression (Zannas et al., 2015).

Non-coding RNAs: Small RNA molecules that don't code for proteins but play roles in regulating gene expression (Zannas et al., 2015).

The intrauterine environment presents a particularly powerful context through which maternal trauma or stress may influence fetal epigenetic programming of the hypothalamic-pituitary-adrenal (HPA) axis (Monk et al., 2012; Yehuda et al., 2018). By 22 weeks of gestation, the fetal HPA axis is developed and functioning, though it continues to be sensitive to environmental influence.

While animal models have demonstrated both intergenerational and transgenerational transmission of trauma effects through epigenetic mechanisms, human studies are still developing in this area (Ryder, 2022). However, there is growing evidence suggesting potential biological pathways for this transmission.


Research has indicated that trauma can be intergenerationally passed on through epigenetic mechanisms, with studies showing that childhood trauma has been associated with alteration in methylation patterns that may induce intergenerational effects (Jiang et al., 2019; Youssef et al., 2018; Jiang et al., 2019). The gestational stage of the fetus is an important determinant of the impact of prenatal exposures on offspring, indicative of developmentally sensitive windows of fetal development (Yehuda et al., 2018).

This understanding of epigenetic mechanisms helps explain clinical observations about how trauma interferes with patients' perception of pain and illness (Ungar-Sargon, 2024). Epigenetic regulation is highly prevalent during prenatal development, making the intrauterine environment incredibly important for establishing the fetal epigenome (Boyd et al., 2017). This interplay creates what researchers call "fetal programming," where maternal factors influence developmental trajectories of offspring by priming the fetus for certain environmental conditions.

The influence of intergenerational trauma on health outcomes is becoming increasingly evident, with research showing connections to various conditions including obesity, particularly in Indigenous populations who have experienced historical trauma (Schafte & Bruna, 2023). This suggests that the consequences of trauma can manifest not only in mental health but in physical health across generations.

Evidence-Based Healing Practices for Epigenetic Trauma

The emerging field of epigenetic healing offers promising approaches for addressing trauma at the biological level. Research suggests several approaches may help heal epigenetic changes caused by trauma:



Meditation-Based Interventions

Meditation practices may potentially reverse epigenetic changes related to trauma and stress (Kaliman, 2019). Recent studies indicate that “environmental enrichment can be considered inherent to the cultivation of awareness through meditation training, especially at the cognitive and somatosensorial levels” (Venditti et al., 2020).

Research on meditation's epigenetic effects suggests that identifying “meditation-induced epigenetic marks on the genome may provide critical information on epigenetically modified genes and pathways underlying the association between meditation and mental/emotional health amelioration and may help uncover new targets for therapeutic intervention” (Shippy, 2024). Studies have shown changes in the expression of inflammatory and epigenetic-modulatory genes after intensive meditation retreats (Álvarez-López et al., 2022).

However, a trauma-informed approach to mindfulness is crucial, as standard mindfulness practices may sometimes be “difficult — or even harmful — for people with a history of trauma” (Rice, 2022). Trauma-sensitive mindfulness practices, as outlined by David Treleaven, provide safe and transformative approaches for individuals with trauma histories (Treleaven, 2018).

Somatic Therapies

Somatic Experiencing (SE), developed by Peter Levine, offers a body-centered approach to treating trauma (Levine, 2010). Two main techniques used are “titration” and “pendulation,” where “the therapist encourages the client to approach their physical experience gently and slowly” (Ramirez-Duran, 2020).

Somatic therapy addresses how “traumatic events or unresolved emotional issues can become ‘trapped’ inside” the body, using various techniques to help release these emotions and sensations (Holzmann, 2024). This approach recognizes that, as described by Bessel van der Kolk, “the body keeps the score” when it comes to traumatic experiences (van der Kolk, 2014).

Harvard Health notes that somatic therapy focuses on the connection between mind and body, using physical sensations as a pathway to healing psychological trauma (Salamon, 2023). At-home somatic exercises can be valuable tools for trauma recovery, helping individuals reconnect with their bodies in a safe, regulated way (Aybar, 2021).

Therapeutic Approaches


EMDR (Eye Movement Desensitization and Reprocessing): EMDR has shown promising results when combined with other approaches like neurofeedback, as “neurofeedback helps the brain with self-regulation while EMDR is an information processing psychotherapy that can help target responses to trauma” (Badour, 2019).

Neurofeedback: This approach helps patients “retrain the brain and neurological pathways that are involved with PTSD symptoms,” providing real-time feedback to help regulate brain function (Kripalani et al., 2021).

Acupuncture: Research indicates the efficacy of acupuncture therapy for PTSD, with evidence from both animal and clinical studies supporting its use (Tang et al., 2022). When combined with psychotherapy, acupuncture can provide a holistic approach to healing both mind and body (Kripalani et al., 2021).

Research has shown that “epigenetic effects of trauma can be reversed” through environmental enrichment, which for humans includes “self-care and healthy lifestyle habits” such as nutritious diet, regular physical activity, mental challenges, and exposure to novelty (McEwen et al., 2015).

The potential positive epigenetic effects of various mind-body therapies (MBTs) like mindfulness, meditation, yoga, and tai-chi are being increasingly documented (Kripalani et al., 2021). These practices may initially act at the psychological level before eventually influencing epigenetic processes in what has been described as a “domino fashion” (Ramirez-Duran, 2020).



Addressing Epigenetic Trauma

The integration of ancient wisdom and modern science offers a powerful framework for physician-healers addressing trauma. This holistic perspective is particularly important when we consider that children who suffer abuse, neglect, or trauma often develop depression and other psychiatric illnesses, and as adults have a greater incidence of medical illnesses including cancer, cardiovascular disease, and diabetes—conditions whose development may be influenced by epigenetic changes affecting genes across the entire genome (Kaufman et al., 2018).

An approach that integrates religious and spiritual practices with medical knowledge creates a comprehensive approach to pain relief and healing that acknowledges the multidimensional nature of persistent pain (Ungar-Sargon, 2024). This reflects the relational model present in the Talmudic account, where learning and healing happen not in isolation but through meaningful relationships.

Stephen Porges’ polyvagal theory provides an important framework for understanding how trauma affects the nervous system and how healing practices can help restore regulation (Porges, 2011). This theory complements both ancient understandings and modern epigenetic approaches to trauma, offering a neurophysiological basis for understanding emotional regulation, attachment, and communication in the context of trauma healing.

Practical Applications

Drawing on both ancient wisdom and modern epigenetic research, several practical approaches emerge for clinical practice:

Listen deeply to patients’ narratives: The Talmudic teaching suggests that our deepest knowledge may be “forgotten” but

not lost (Steinsaltz, 2019). As a physician-healer, listening for what has been “forgotten” in patients’ histories may reveal the roots of their current suffering.

Recognize the body’s wisdom: The body retains knowledge even when consciousness does not (Ungar-Sargon, 2024). This aligns with modern understanding of how trauma is stored in the body and how epigenetic modifications can influence pain perception. The sensorimotor approach to psychotherapy developed by Pat Ogden offers valuable techniques for accessing and working with bodily wisdom (Ogden et al., 2006).

Create healing environments: Research shows that “epigenetic effects of trauma can be reversed” through environmental enrichment (McEwen et al., 2015). Clinical spaces can be designed to provide this enrichment.

Integrate multiple healing modalities: The most effective approaches appear to be those that integrate multiple modalities (Ungar-Sargon, 2024). Research suggests that “mind-body therapies (MBTs), such as mindfulness, meditation, yoga, and tai-chi” can influence epigenetic changes (Kripalani et al., 2021).

Practice trauma-informed care: A trauma-informed approach is crucial, as standard practices may sometimes be “difficult — or even harmful — for people with a history of trauma” (Rice, 2022).



Conclusion

The ancient Talmudic teaching about an angel teaching Torah to the fetus and modern scientific research on fetal development and epigenetic trauma present a remarkable convergence of perspectives separated by millennia. While using different language and conceptual frameworks, both traditions recognize the prenatal period as formative and transformative.

What emerges most powerfully from this exploration is the distinctively relational model of learning and healing presented in the Talmudic account. Unlike more solipsistic models, the rabbinic tradition emphasizes that genuine wisdom emerges not in isolation but in relationship - both with the divine and with one another (Socher, 2015). This insight remains as relevant in our age of scientific advancement as it was when first articulated.

Perhaps most poignantly, both ancient wisdom and modern science suggest that our earliest experiences shape us in ways that extend far beyond what we consciously remember. The Talmudic angel who teaches and then causes forgetting, and the scientific reality of neural pathways formed through prenatal development and epigenetic modifications, both point to a profound truth: our earliest experiences shape us in ways that extend far beyond what we consciously remember.

The convergence of Talmudic wisdom, modern epigenetic science, and evidence-based healing practices offers a powerful framework for understanding trauma’s impact on health and providing effective care. By recognizing how early experiences—even prenatal ones—shape our physiological responses through epigenetic mechanisms, physician-healers can develop more effective, compassionate approaches to treatment that address not just the symptoms of illness but their deeper roots in experiences that may have occurred before conscious memory formation.

References

1. Steinsaltz, A. (2019, November 22). Nidda 30a-b: Torah Study in Utero. Aleph Society. <https://steinsaltz.org/daf/nidda30/>
2. Socher, A. (2015). How the Baby Got Its Philtrum. Jewish Review of Books. <https://jewishreviewofbooks.com/articles/1715/how-the-baby-got-its-philtrum/>
3. Royal College of Obstetricians and Gynaecologists (RCOG). (2022). Fetal Awareness: Updated review of Research and Recommendations for Practice. London. <https://www.rcog.org.uk/guidance/browse-all-guidance/other-guidelines-and-reports/fetal-awareness-updated-review-of-research-and-recommendations-for-practice/>
4. Barrell, A. (2019, February 15). When can a fetus hear? Everything you want to know. Medical News Today. <https://www.medicalnewstoday.com/articles/324464>
5. Timmons, J. (2018, January 5). When Can a Fetus Hear: Womb Development Timeline. Healthline. <https://www.healthline.com/health/pregnancy/when-can-a-fetus-hear#:~:text=Around%2018%20weeks%20of%20pregnancy,you%20may%20not%20even%20notice.>
6. Graven, S. N., & Browne, J. V. (2008) Auditory Development in the Fetus and Infant. *Newborn Infant Nurs Rev*, 8(4), 187-193. DOI: <https://doi.org/10.1053/j.nainr.2008.10.010>
7. Moon, C., Lagercrantz, H., & Kuhl, P. K. (2013). Language experienced in utero affects vowel perception after birth: a two-country study. *Acta Paediatr*, 102(2), 156-160. DOI: <https://doi.org/10.1111/apa.12098>
8. Partanen, E., Kujala, T., Tervaniemi, M., & Huotilainen, M. (2013). Prenatal Music Exposure Induces Long-Term Neural Effects. *PLoS ONE*, 8(10), e78946. DOI: <https://doi.org/10.1371/journal.pone.0078946>
9. Lamont, A. (2003). Infant preferences for familiar and unfamiliar music: a socio-cultural study. *Psychol Music*, 31(1), 35-46.

10. Trafton, A. (2022, May 25). Early sound exposure in the womb shapes the auditory system. *Massachusetts Institute of Technology MIT News*. <https://news.mit.edu/2022/prenatal-sound-womb-auditory-system-0525>
11. Chang, E. F., & Merzenich, M. M. (2003). Environmental noise retards auditory cortical development. *Science*, 300(5618), 498-502.
DOI: <https://doi.org/10.1126/science.1082163>
12. Klengel, T., & Binder, E. B. (2015). Epigenetics of Stress-Related Psychiatric Disorders and Gene $\times$ Environment Interactions. *Neuron*, 86(6), 1343-1357.
DOI: <https://doi.org/10.1016/j.neuron.2015.05.036>
13. Zannas, A. S., Provençal, N., & Binder, E. B. (2015). Epigenetics of Posttraumatic Stress Disorder: Current Evidence, Challenges, and Future Directions. *Biol Psychiatry*, 78(5), 327-335.
DOI: <https://doi.org/10.1016/j.biopsych.2015.04.003>
14. Monk, C., Spicer, J., & Champagne, F. A. (2012). Linking prenatal maternal adversity to developmental outcomes in infants: the role of epigenetic pathways. *Dev Psychopathol*, 24(4), 1361-1376.
DOI: <https://doi.org/10.1017/s0954579412000764>
15. Ryder, G. (2022, February 18). What Is Genetic Trauma?. PsychCentral.
<https://psychcentral.com/health/genetic-trauma>
16. Yehuda, R., & Lehrner, A. (2018). Intergenerational transmission of trauma effects: putative role of epigenetic mechanisms. *World Psychiatry*, 17(3), 243-257.
DOI: <https://doi.org/10.1002/wps.20568>
17. Jiang, S., Postovit, L., Cattaneo, A., Binder, E. B., & Aitchison, K. J. (2019). Epigenetic Modifications in Stress Response Genes Associated With Childhood Trauma. *Front Psychiatry*, 10, 808.
DOI: <https://doi.org/10.3389/fpsy.2019.00808>
18. Youssef, N. A., Lockwood, L., Su, S., Hao, G., & Rutten, B. P. F. (2018). The Effects of Trauma, with or without PTSD, on the Transgenerational DNA Methylation Alterations in Human Offsprings. *Brain Sci*, 8(5), 83.
DOI: <https://doi.org/10.3390/brainsci8050083>
19. Ungar-Sargon, J. (2024). The Patient History-Reimagining the Body in Illness. *Am J Med Clin Sci*, 9(5), 1-9.
DOI: <http://dx.doi.org/10.33425/2832-4226/24021>
20. Boyd, H. A., Basit, S., Behrens, I., Leirgul, E., Bundgaard, H., Wohlfahrt, J., Melbye, M., & Øyen, N. (2017). Association between fetal congenital heart defects and maternal risk of hypertensive disorders of pregnancy in the same pregnancy and across pregnancies. *Circulation*, 136(1), 39-48.
DOI: <https://doi.org/10.1161/circulationaha.116.024600>
21. Schafte, K., & Bruna, S. (2023). The influence of intergenerational trauma on epigenetics and obesity in Indigenous populations - a scoping review. *Epigenetics*, 18(1), 2260218.
DOI: <https://doi.org/10.1080/15592294.2023.2260218>
22. Kaliman, P. (2019). Epigenetics and meditation. *Current Opinion in Psychology*, 28, 76-80.
DOI: <https://doi.org/10.1016/j.copsyc.2018.11.010>
23. Venditti, S., Verdone, L., Reale, A., Vetriani, V., Caserta, M., & Zampieri, M. (2020). Molecules of silence: Effects of meditation on gene expression and epigenetics. *Front Psychol*, 11, 1767.
DOI: <https://doi.org/10.3389/fpsyg.2020.01767>
24. Shippy, A. (2024). Healing through epigenetic changes: The transformative power of meditation.
<https://annshippymd.com/healing-through-epigenetic-changes-the-transformative-power-of-meditation/>
25. Álvarez-López, M. J., Conklin, Q. A., Cosín-Tomás, M., Shields, G. S., King, B. G., Zanesco, A. P., Kaliman, P., & Saron, C. D. (2022). Changes in the expression of inflammatory and epigenetic-modulatory genes after an intensive meditation retreat. *Comprehensive Psychoneuroendocrinology*, 11, 100152.
DOI: <https://doi.org/10.1016/j.cpnec.2022.100152>
26. Rice, A. (2022, January 5). Trauma-informed mindfulness: Benefits, risks, and getting started. PsychCentral.
<https://psychcentral.com/health/trauma-informed-mindfulness>
27. Treleaven, D. A. (2018). Trauma-sensitive mindfulness: Practices for safe and transformative healing. W. W. Norton & Company.
<https://wwnorton.com/books/9780393709780>
28. Ramirez-Duran, D. (2020, November 11). Somatic experiencing therapy: 10 best exercises & examples. Positive Psychology.
<https://positivepsychology.com/somatic-experiencing/>
29. Holzmman, M. (2024, July 18). The Complete Guide for Using Somatic Therapy to Heal From Trauma. Somatic Therapy Partners.
<https://somatictherapypartners.com/somatic-therapy-for-trauma-healing-guide/>
30. Salamon, M. (2023, July 7). What is somatic therapy?. Harvard Health. <https://www.health.harvard.edu/blog/what-is-somatic-therapy-202307072951>
31. Aybar, S. (2021, July 21). 4 Somatic Therapy Exercises for Healing from Trauma. PsychCentral.
<https://psychcentral.com/lib/somatic-therapy-exercises-for-trauma>
32. Badour, E. (2019). EMDR Therapy and Neurofeedback for PTSD. NeuroZone. <https://neurozonewave.com/emdr-therapy-and-neurofeedback-for-ptsd/>
33. Kripalani, S., Pradhan, B., Gilrain, K. L. (2021). The potential positive epigenetic effects of various mind-body therapies (MBTs): A narrative review. *J Complement Integr Med*, 19(4), 827-832.
DOI: <https://doi.org/10.1515/jcim-2021-0039>
34. Tang X., Lin, S., Fang, D., Lin, B., Yao, L., Wang, L., Xu, Q., Lu, L., & Xu, N. (2022). Efficacy and underlying mechanisms of acupuncture therapy for PTSD: Evidence from animal and clinical studies. *Front Behav Neurosci*, 17, 1163718.
DOI: <https://doi.org/10.3389/fnbeh.2023.1163718>
35. McEwen, B. S., Bowles, N. P., Gray, J. D., Hill, M. N., Hunter, R. G., Karatsoreos, I. N., & Nasca, C. (2015). Mechanisms of stress in the brain. *Nat Neurosci*, 18(10), 1353-1363. DOI: <https://doi.org/10.1038/nn.4086>

36. Kaufman, J., Montalvo-Ortiz, J. L., Holbrook, H., O'Loughlin, K., Orr, C., & Kearney, C. (2018). Adverse Childhood Experiences, Epigenetic Measures, and Obesity in Youth. *J Pediatr*, 199, 268-274.e1.
37. Ungar-Sargon, J. (2024). The Therapeutic Vision Non-Conventional Healing: A New Paradigm. *J Neurol Neurosci Res*, 5, 54-59.
38. Porges, S. W. (2011). The polyvagal theory: Neurophysiological foundations of emotions, attachment, communication, and self-regulation. W. W. Norton & Company. <https://psycnet.apa.org/record/2011-04659-000>
39. Ungar-Sargon J. (2024). A New Model for Healing Part II. *Addict Res*, 8(2), 1-10. <https://www.scivisionpub.com/pdfs/a-new-model-for-healing-part-ii-3394.pdf>
40. Ogden, P., Minton, K., & Pain, C. (2006). Trauma and the body: A sensorimotor approach to psychotherapy. W. W. Norton & Company. <https://www.abebooks.com/9780393704570/Trauma-Body-Sensorimotor-Approach-Psychotherapy-0393704572/plp>
41. Ungar-Sargon, J. (2024). Effective Listening to the Patient affects the Outcome. *J Neurol Neurosci Res*, 5, 92-98.
42. Chaix, R., Alvarez-López, M. J., Fagny, M., Lemee, L., Regnault, B., Davidson, R. J., Lutz, A., & Kaliman, P. (2017). Epigenetic clock analysis in long-term meditators. *Psychoneuroendocrinology*, 85, 210-214. DOI: <https://doi.org/10.1016/j.psyneuen.2017.08.016>
43. García-Campayo J, Puebla-Guedea M, Labarga A, Urdános A, Roldán M, Pulido L, de Morentin Iribarren, X. M., Perdonés-Montero, A., Montero-Marin, J., & Mendioroz, M. (2018). Epigenetic Response to Mindfulness in Peripheral Blood Leukocytes Involves Genes Linked to Common Human Diseases. *Mindfulness*, 9(3), 1146-1159. DOI: <https://link.springer.com/article/10.1007/s12671-017-0851-6>
44. Levine, P. A. (2010). In an Unspoken Voice: How the Body Releases Trauma and Restores Goodness. Berkeley: North Atlantic Books. <https://www.northatlanticbooks.com/shop/in-an-unspoken-voice/>
45. van der Kolk, B. A. (2014). The Body Keeps the Score: Brain, Mind, and Body in the Healing of Trauma. New York: Viking. <https://www.goodreads.com/book/show/18693771-the-body-keeps-the-score>
46. Schouten, K. A., de Niet, G. J., Knipscheer, J. W., Kleber, R. J., & Hutschemaekers, G. J. (2015). The effectiveness of art therapy in the treatment of traumatized adults: a systematic review on art therapy and trauma. *Trauma Violence Abuse*, 16(2), 220-228. DOI: <https://doi.org/10.1177/1524838014555032>
47. Hammond, D. C. (2005). Neurofeedback Treatment of Depression and Anxiety. *J Adult Dev*, 12(2), 131-137. DOI: <http://dx.doi.org/10.1007/s10804-005-7029-5>
48. Ungar-Sargon J. (2023). Armed with the neurophysiology and imaging data reviewed in this essay, we can approach the need of integrating music as part of a new paradigm in healing. Presentation to the Bora College of Health Sciences, Dominican University.
49. Ungar-Sargon, J. (2024). A New Model for Healing III. *Addict Res*, 8(2), 1-5. <https://www.scivisionpub.com/pdfs/a-new-model-for-healing-iii-3431.pdf>
50. Yehuda, R., Lehrner, A., & Bierer, L. M. (2018). The public mental health burden of intergenerational transmission of trauma effects: Putative role of epigenetic mechanisms. *World Psychiatry*, 17(3), 243-257.
51. Jiang, S., Postovit, L., Cattaneo, A., Binder, E. B., & Aitchison, K. J. (2019). Epigenetic Modifications in Stress Response Genes Associated With Childhood Trauma. *Front Psychiatry*, 10, 808. DOI: <https://doi.org/10.3389/fpsyt.2019.00808>
52. Wilson, P. E. (1997). Deuteronomy XXV 11-12: One for the Books. *Vetus Testamentum*, 47(2), 220-235.

Copyright: ©2025 Julian Ungar. This is an open-access article distributed under the terms of the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original author and source are credited.